	Туре	L #	Hits	Search Text	DBs
1	IS&R	L1	1331	((310/309,311) or (333/186,108)).CCLS.	USPAT
2	IS&R	L2	230	(333/133,198).CCLS.	USPAT
3	BRS	L3	24	(mem\$1 or microelectromechanical or "micro electromechanical") adj4 resonator and filter\$3 same mix\$3	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

Searching PAJ

MENU NEWS HELP						
Search Results : 0						
Text Search If you want to conduct a Number Search, please click on the button to the right.	Number Search					
Applicant, Title of invention, Abstract — e.g. computer semiconductor						
If you use the AND/OR operation, please leave a SPACE between keywords. One letter word or Stopwords are not searchable.						
mems microelectromechanical	OR ¥					
AND						
resonator filter	AND 🕶					
AND						
mixer	AND 🕶					
AND						
Date of publication of application — e.g. 19980401 - 19980405						
_						
AND						
IPC — e.g. D01B7/04 A01C11/02						
If you use the OR operation, please leave a SPACE between keywords.						
·						
Search Stored data						

Copyright (C); 1998,2003 Japan Patent Office

[Search Summary]

Results of searching in PCT (Full Text) for: (mems or microelectromechanical or "micro electromechanical") and resonator and filter and mixer: 29 records

Showing records 1 to 25 of 29:

	Final 4 records	Start At
Refine Searc	ch (mems or microelectrom	nechanical or "micro electrom

Title

- 1. (WO 2004/059852) WIDEBAND DIGITAL RADIO WITH TRANSMIT MODULATION CANCELLATON
- 2. (WO 2003/058307) SYSTEMS AND METHODS OF MANUFACTURING INTEGRATED PHOTONIC CIRCUIT DEVICES [Repub: 08.07.2004]
- 3. (WO 2004/038848) VARIABLE CAPACITANCE MEMBRANE ACTUATOR FOR WIDE BAND TUNING OF MICROSTRIP RESONATORS AND FILTERS
- 4. (WO 2002/075945) APPARATUS AND METHODS FOR IMPROVED TOWER MOUNTABLE SYSTEMS FOR CELLULAR COMMUNICATIONS
 [Repub: 15.01.2004]
- 5. (WO 2004/002572) MICROSTIMULATOR HAVING SELF-CONTAINED POWER SOURCE AND BI-DIRECTIONAL TELEMETRY SYSTEM
- 6. (WO 03/058307) SYSTEMS AND METHODS OF MANUFACTURING INTEGRATED PHOTONIC CIRCUIT DEVICES
- 7. (WO 03/021728) VERY NARROW BAND, TWO CHAMBER, HIGH REP RATE GAS DISCHARGE LASER SYSTEM
- 8. (WO 02/025368) OPTICAL WAVELENGTH-CONVERTING APPARATUS [Repub: 06.03.2003]
- 9. (WO 03/007049) PHOTONIC MEMS AND STRUCTURES
- 10. **(WO 02/090246)** AN APPARATUS AND METHOD FOR ULTRASENSITIVE NANOELECTROMECHANICAL MASS DETECTION
- 11. (WO 02/088764) LORENTZ FORCE DRIVEN MECHANICAL *FILTER/MIXER* DESIGNS FOR RF APPLICATIONS
- 12. (WO 02/075945) APPARATUS AND METHODS FOR IMPROVED TOWER MOUNTABLE SYSTEMS FOR CELLULAR COMMUNICATIONS
- 13. (WO 02/25368) OPTICAL WAVELENGTH-CONVERTING APPARATUS
- 14. (WO 02/19293) WIRELESS SPREAD-SPECTRUM TELESENSOR CHIP WITH SYNCHRONOUS DIGITAL ARCHITECTURE
- 15. (WO 02/17364) MODULE AND METHOD OF MAKING SAME
- 16. (WO 02/17231) SYSTEMS AND METHODS FOR MILLIMETER AND SUB-MILLIMETER WAVE IMAGING
- 17. (WO 02/11341) OPTICAL WAVELENGTH ROUTER
- 18. (WO 01/88958) SPONTANEOUS PATTERN FORMATION OF FUNCTIONAL MATERIALS
- 19. (WO 01/82479) METHOD AND APPARATUS FOR FILTERING SIGNALS IN A SUBSYSTEM INCLUDING A POWER AMPLIFIER UTILIZING A BANK OF VIBRATING



Canadian Intellectual Property Office

Office de la propriété intellectuelle du Canada Canada

Français Strategis Contact Us Site Map

Canada Site





CIPO Home

Patents Main Page

PATENTS DATABASE

Search Options

Basic

Number

Boolean

Advanced

Help

Content

Searching

Search Language

FAQ

Disclaimer

Foreign Patent Links

Decisions of the Commissioner of Patents

Trade-marks Database

Copyrights Database

Search Help What's New

About Us

Registration

Strategis Index: ABCDEFGHIJKLMNOPQRSTUVWXYZ

er in the included the same and all the

Canadian Patents Database

Search Results 02/17/2005 - 14:14:40

Search Query:

(((resonator <near> ((mems <or> mic

Query: (((resonator < near > ((mems < or > microelectromechanical < or > "micro electromechanical")) <and> mixer <and> filter)))

1 documents out of 1622794 matched your query. Click on its number to view the details of the document.

Note: All document detail pages now appear on a new Browser Window.

1. 2406543 METHOD AND SUBSYSTEM FOR PROCESSING SIGNALS UTILIZING A PLURALITY OF VIBRATING MICROMECHANICAL DEVICES

02%

Last Modified: 2002-12-31

Important Notices